Appl. No. 10/748,554
Reply dated February 1, 2006
Reply to Office Action of September 01, 2005

Listing of Claims

- 1. (Previously presented) A cleaning sheet comprising a first side and a second side, wherein the first side is on an opposite side of the cleaning sheet from the second side, the first side comprises a first electret treated material which has a structure with the ability to attract and retain, dirt, dust and other debris and the second side comprises a material which has the ability to absorb fluids.
- 2. (Original) The cleaning sheet of claim 1, wherein the first material comprises a nonwoven web and the second material comprises a nonwoven web.
- 3. (Previously presented) The cleaning sheet of claim 2, wherein at least one of the nonwoven webs comprises monocomponent, multiconstituent and/or multicomponent fibers.
- 4. (Original) The cleaning sheet of claim 3, wherein the nonwoven web of the first material comprises a nonwoven web selected from the group consisting of spunbond nonwoven webs, meltblown nonwoven webs, air-laid nonwoven webs and bonded carded nonwoven webs.
- 5. (Original) The cleaning sheet of claim 4, wherein the first material comprises a spunbond nonwoven web.
- 6. (Previously presented) The cleaning sheet of claim 5, wherein spunbond fibers of the spunbond nonwoven web comprise multicomponent fibers.
- 7. (Original) The cleaning sheet of claim 1, wherein the second material comprises a nonwoven web.
- 8. (Original) The cleaning sheet of claim 7, wherein the second material nonwoven web comprises a nonwoven web comprising a mixture of thermoplastic fibers and an absorbent material.
- 9. (Original) The cleaning sheet of claim 8, wherein in the absorbent material comprises pulp and/or a superabsorbent material.

Appl. No. 10/748,554 Reply dated February 1, 2006 Reply to Office Action of September 01, 2005

- 10. (Original) The cleaning sheet of claim 9, wherein the thermoplastic fibers comprise between 5% and 80% by weight of the thermoplastic polymers and between 95% and 20% by weight of pulp and/or the superabsorbent.
- 11. (Original) The cleaning sheet of claim 10, wherein the first material comprises a spunbond nonwoven web.
- 12. (Withdrawn) The cleaning sheet of claim 1, further comprising a barrier layer positioned between the first layer and the second layer.
- 13. (Withdrawn) The cleaning sheet of claim 12, wherein the barrier layer comprises a film.
- 14. (Withdrawn) The cleaning sheet of claim 1, wherein the second surface comprises a laminate of at least two materials.
- 15. (Withdrawn) The cleaning sheet of claim 14, wherein the second side comprises an absorbent layer and a liquid transfer layer.
- 16. (Withdrawn) The cleaning sheet of claim 15, wherein the absorbent layer comprises between 5% and 80% by weight of the thermoplastic fibers and between 95% and 20% by weight of pulp and/or the superabsorbent and the liquid transfer layer comprises a spunbond nonwoven web.
- 17. (Withdrawn) The cleaning sheet of claim 1, wherein the first side comprises a spunbond nonwoven web and the second side comprises an absorbent layer and a liquid transfer layer, the absorbent layer comprises between 5% and 80% by weight of the thermoplastic fibers and between 95% and 20% by weight of pulp and/or the superabsorbent and the liquid transfer layer comprises a spunbond nonwoven web.

Appl. No. 10/748,554 Reply dated February 1, 2006 Reply to Office Action of September 01, 2005

- (Original) A cleaning implement comprising:
 - a. a handle;
 - b. a head; and
 - c. a removable cleaning sheet;

wherein head is connected to the handle, the removable cleaning sheet is removable attached to the head and the removable cleaning sheet comprises the cleaning sheet of claim 1.

- 19. (Withdrawn) A cleaning implement comprising:
 - a. a handle;
 - b. a head; and
 - c. a removable cleaning sheet;

wherein head is connected to the handle, the removable cleaning sheet is removable attached to the head and the removable cleaning sheet comprises the cleaning sheet of claim 17.

20. (Withdrawn) A method of cleaning a surface, comprising wiping the surface with the first side of the wipe of claim 1, applying a cleaning fluid to the surface, an wiping the surface with the second side of the cleaning sheet of claim 1 to absorb the cleaning fluid applied to the surface.